

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria. Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/693,263	10/23/2003	Andrew J. Toti	50604	9072
7590 03/16/2007 PHILIP A. DALTON 236 WEST PORTAL AVE. No. 15 SAN FRANCISCO, CA 94127-1423			EXAMINER	
			BOES, TERENCE	
			ART UNIT	PAPER NUMBER
D/HV I I I I I I I	500, 011) 412 / 1123		3682	
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVER	Y MODE
3 MO	MTHS	03/16/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		Application No.	Applicant(s)				
		10/693,263	TOTI, ANDREW J.				
	Office Action Summary	Examiner	Art Unit				
		Terence Boes	3682				
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SH WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Operiod for reply is specified above, the maximum statutory period we are to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status							
1)⊠	Responsive to communication(s) filed on <u>08/11</u>	1/2006.					
2a)⊠	This action is FINAL . 2b) This	action is non-final.					
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4) Claim(s) 1-6 is/are pending in the application.							
4a) Of the above claim(s) <u>4 and 5</u> is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠	6)⊠ Claim(s) <u>1-3 and 6</u> is/are rejected.						
	Claim(s) is/are objected to.						
8)[8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers							
9) The specification is objected to by the Examiner.							
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority (under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:							
1 Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachmen		n □	(DTO 442)				
	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail Da	ate				
3) 🔲 Infor	mation Disclosure Statement(s) (PTO/SB/08)	5) Notice of Informal P 6) Other:	atent Application				

Art Unit: 3682

DETAILED ACTION

New Shortened Statutory Period for Reply

1. A shortened statutory period for reply was incorrectly set to expire 1 month or thirty (30) days, whichever was longer, from the mailing date of the final action mailed on 2/28/07, therefore, the finality of that action is hereby withdrawn, and a new shortened statutory period for reply has been set.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claim 2 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The phrase "close to" in claim 2 paragraph (e) is a relative term which renders the claim indefinite. The term phrase "close to" is not defined by the claim, the specification does not provide a standard for ascertaining the requisite degree, and one of ordinary skill in the art would not be reasonably apprised of the scope of the invention. Would 1mm be considered close to...would 1km be considered close to?

Art Unit: 3682

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1-3 and 6, as best understood, are rejected under 35 U.S.C. 102(b) as being anticipated by Renee US 4,759,398.

Renee discloses:

- A rod having a spiral thread configuration (15a)
- A spiral thread follower mounted on the rod (50)
- A handle (57) mounted over and rotatably (handle is capable of rotating relative to spiral thread follower) captured to the spiral thread follower
- The spiral thread follower further comprising a section (collar) which is exposed relative to the handle (54)

Regarding claim 2,

- A rotatable load (see "Venetian blind" in abstract)
- A rod having a spiral thread configuration (15a)
- Means connecting the rod to the load (17)
- A spiral thread follower mounted on the rod (50)
- A handle (57) mounted over and rotatably (handle is capable of rotating relative to spiral thread follower) captured to the spiral thread follower

Art Unit: 3682

The handle being physically close to and exposing the collar (see figure
 10)

Regarding claim 3,

- A rotatable shaft (12)
- A rod having a spiral thread configuration (15a)
- Means connecting rod to shaft (16)
- A handle device (see figure 10) comprising:
- A stepped cylinder (50) comprising a collar (54) and a tube (see upper instance of 50 in figure 10) having a bottom end (see lower instance of 50 in figure 10)
- The outer diameter of collar being of large dimension relative to the outer diameter of the tube (see figure 10); and the stepped cylinder having a longitudinal axis and having an internally axially-extending bore mounting the stepped cylinder along the rod (see figure 10)
- A handle comprising a member (57) having upper and lower ends, a longitudinal axis and an axial bore therein extending to the upper and lower ends thereof,
- The member rotatably mounting the tube therein (see figure 10) with the relatively large diameter dollar protruding from and rotatably seated along the upper end of the member (see figure 10)
- The member and the collar comprising surfaces (55, 53)

Regarding claim 6,

Art Unit: 3682

 The bottom end of the tube protruding from the lower end of the member (see lower instance of 50 in figure 10)

A retainer attached to the bottom end of the tube (51)

Response to Arguments

4. Applicant's arguments with respect to claims 1-3, and 6 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Terence Boes whose telephone number is (571) 272-4898. The examiner can normally be reached on Monday - Friday 9:00 AM - 4:00 PM.

Art Unit: 3682

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Ridley can be reached on (571) 272-6917. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TB 3/14/07

RICHARD RIDLEY
SUPERVISORY PATENT EXAMINER